#### **Old Dominion University ODU Digital Commons**

Modeling, Simulation & Visualization Engineering **Faculty Publications** 

Modeling, Simulation & Visualization Engineering

2005

#### C2IEDM for the GIG: A Tutorial

Andreas Tolk Old Dominion University, atolk@odu.edu

Charles Turnitsa Old Dominion University, cturnits@odu.edu

Curtis Blais

Follow this and additional works at: https://digitalcommons.odu.edu/msve fac pubs



Part of the Computer and Systems Architecture Commons

#### **Repository Citation**

Tolk, Andreas; Turnitsa, Charles; and Blais, Curtis, "C2IEDM for the GIG: A Tutorial" (2005). Modeling, Simulation & Visualization Engineering Faculty Publications. 38.

https://digitalcommons.odu.edu/msve\_fac\_pubs/38

#### **Original Publication Citation**

Blais, C. L., Turnitsa, C., & Tolk, A. (2005). C2IEDM for the GIG: A Tutorial. Paper presented at the Spring Simulation Interoperability Workshop, San Diego, CA, April 3, 2005.

This Conference Paper is brought to you for free and open access by the Modeling, Simulation & Visualization Engineering at ODU Digital Commons. It has been accepted for inclusion in Modeling, Simulation & Visualization Engineering Faculty Publications by an authorized administrator of ODU Digital Commons. For more information, please contact digitalcommons@odu.edu.

## C2IEDM for the GIG: A Tutorial

Andreas Tolk
Charles Turnitsa
Old Dominion University

VMASC atolk@odu.edu cturnits@odu.edu

#### Curtis Blais

Naval Postgraduate School MOVES Institute clblais@nps.edu





Slide 1

Spring 2005 SIW © 2005 VMASC/MOVES

#### Introduction

- Purpose
  - Educate about the C2IEDM
  - Show how its components work to show a very clear view of the Battle Space
- Scope
  - Overview, Overall Structure, Independent Entities
  - Introduce key areas, give some examples of their use
- Tutorial Objectives
  - Clear understanding of the Model
  - View of how it can serve as an Operational Vocabulary

## The Challenge

This is the GIG

- Composable Services Service Oriented Architecture (SOA)
  - Functionality in Services
  - System Functionality composed from Service Functionality
- Central questions
  - How can we make sure that current services talk with each other unambiguously
  - How can we make sure that current services talk with future services unambiguously

Spring 2005 SIW © 2005 VMASC/MOVES Slide 3

## The Proposal

- Common Reference Model
  - Unambiguous definition of entities and their relations
  - Information Exchange Data Model
    - · Not to replace the interior model
    - Not to be used as the common enterprise wide data model
- Requirements/Constraints
  - Define current state of the art (messages, data replication, etc.)
  - Extensible to future solutions
- Is there such a model?

This is Name Space
Management

Spring 2005 SIW


© 2005 VMASC/MOVES


## History of C2IEDM

- 1978: NATO Long-Term Defense Plan (LTDP) Task Force on Command and Control (C2)
- 1980: Army/Allied Tactical Command and Control Information System (ATCCIS) Permanent Working Group (APWG)
- 1998: Multilateral Interoperability Program (MIP) replaces Battlefield Interoperability Program (BIP) and Quadrilateral Interoperability Program (QIP)
- 2002: Merging ATCCIS and MIP, new name for the data model: Land Command and Control Information Exchange Data Model (LC2IEDM)
- 2003: Name changed to Command and Control Information Exchange Data Model (C2IEDM)
- 2004: Current version Generic Hub 6.1on website http://www.mip-site.org


Spring 2005 SIW © 2005 VMASC/MOVES Slide 5

#### MIP/C2IEDM Organization Members/Systems ASSOCIATE MEMBERS **FULL MEMBERS** JCCS, BCSS LFC2IS **DACCIS PHOENIX** SICF, SIR SICBEL IS MARK SLB HEROS-2/1 **GF-TCCS TKKBS** SIACCON **AFNORTH** ISIS GR **HARCCIS** BISC AIS NORTaC/NORCCIS **HAVIR** SIMACET 176 Messages ATacCS/ComBAT **SZAFRAN** 1500 Data Def. US MCS (L) SICCE





#### What is the C2IEDM?



- As a hub, the C2IEDM was designed to be extended
- There are over 190 different entities
- 15 of those entities are independent, the rest are dependent
- The two most important trees are those of Object and Action

Spring 2005 SIW © 2005 VMASC/MOVES Slide 9

#### What is the C2IEDM?

- Documentation is presented through the view of using IDEF1X notation
- Integrated DEFinition (IDEF) method of presenting entity-relationship data
  - http://www.idef.com/IDEF1X.html

attribute (FK)	Foreign Key		
	Primary key of another entity contributed by a relationship		
role.name.attribute (FK)	Role Name		
	New name for a foreign key connoting its use.		
attribute (AKn)	Alternate Key		
	Alternate unique identifier of the entity		
attribute (IEn)	Inversion Entry		
	Non-unique access identifier of the entity		
group.(c1,c2,c3)	Group Attribute		
	Attribute is a group containing the listed constituents.		
attribute(fk1,fk2,fk3)(FK)	Unified Foreign Key		
	Listed foreign keys are unified to a single foreign key attribute		

#### What is the C2IEDM?

- A number of different notations could have been used
  - UML
  - ER notation

Crucial to realize that although the C2IEDM is based on Entity-Relationship ideas

#### IT IS NOT A RELATIONAL DATABASE!

Spring 2005 SIW

© 2005 VMASC/MOVES

Slide 11

#### What is the C2IEDM?


 A valuable view as to what the C2IEDM is and how it can be used can be seen in the current C2IEDM/ CROM work being done by ACS


(see summary for reference)

- CROM (C4I-M&S Reference Object Model) exists to bridge the connection from C4I systems to M&S systems
- Based on the entities and relationships of the C2IEDM

Spring 2005 SIW

© 2005 VMASC/MOVES







# Purpose: Common Operational Vocabulary Spring 2005 SW © 2005 VMASC/MOVES Slide 15

# Overall Structure: Relational Model


- As stated, one of the purposes of the C2IEDM is in exchanging information, about Objects and Events of the Battle Space, between C2IS data systems
- To accomplish this, the model must have a very clear idea of what these Objects and Events are, and how to define and represent them
- The two main entities that satisfy this are the Object Tree and the Action Tree
- The entities comprising these two trees are related to each other and other defining entities through association relationships






## The Object Tree

People, Places, Things And their Properties



# Building Blocks of the Object Tree: OBJECT\_TYPE



Spring 2005 SIW © 2005 VMASC/MOVES

## Building Blocks of the Object Tree: OBJECT\_TYPE

- Five basic sub-trees
- Captures the basic "class" specific data that are archetypical to the class of thing being designed
- Example: M1A1 Abrams MBT
  - Physical parameters
  - Class specific data
  - No organizational data
  - No location data

Slide 21

# Building Blocks of the Object Tree: OBJECT\_TYPE


OBJECT\_TYPE

MATERIAL\_TYPE

EQUIPMENT\_TYPE

LAND WEAPON TYPE

land-weapon- type-id	land-weapon-type- category-code	land-weapon-type- subcategory-code	land-weapon- type-calibre-text	land-weapon-type-fire- guidance-indicator-code	
801101	Field artillery	Howitzer	155 MM	No	
801102	Tank	Battle tank, medium	120 MM	No	
801103	Not otherwise specified	Armoured infantry fighting/combat vehicle	30 MM	No	



## Building Blocks of the Object Tree: OBJECT\_ITEM

- Same sub-trees as OBJECT\_TYPE
- Provides for the data required for identifying a specific instance
- Associates with OBJECT\_TYPE for class data
  - Location
  - Status
  - ID
  - Unit



Spring 2005 SIW

© 2005 VMASC/MOVES

Slide 25

# Building Blocks of the Object Tree: OBJECT\_ITEM

#### OBJECT-ITEM

object- item-id	object-item- category code	object-item-name	object-item-alternate- identification-text	
78128	ORGANISATION	1 Bn 2 (US) Inf Bde	_	
3051	ORGANISATION	<ul> <li>[Null: Enemy unit has been observed but not identified]</li> </ul>	_	
57	FEATURE	Rhone River	_	
77709	FEATURE	Task Force Blue Goose FSCL [Fire Support Coordination Line]	_	
66499	PERSON	General Smith	_	
4311			_	
384753			_	
9447 FACILITY		BFO-1210 [obstacle]	_	
102	FACILITY	DIVISION TRUNK SYSTEM	_	
5411334	FACILITY	Kharman Harbour	_	
12950	MATERIEL	M-8986-YT [vehicle]	_	

Spring 2005 SIW

© 2005 VMASC/MOVES

## Supporting Structure for the Object Tree

- Actual Objects? Not necessarily
  - Networks are a type of FACILITY
  - Control Features are a type of FEATURE
  - Visibility as a type of FEATURE
- Multiple Instances of an Item are linked to a Type through the HOLDING association
- TO&E is shown through the ORGANISATION\_MATERIAL\_ASSOCIATION

Spring 2005 SIW © 2005 VMASC/MOVES Slide 27

## Objects in Motion STATUS, CAPABILITY, and ACTION

- All OBJECT\_ITEMS have the capability to have their status reported on
  - Under Orders; Damaged; Loaded etc
- All OBJECT\_ITEM associations have the capability to have their status reported on
  - Embarkation/Disembarkation; Join a Unit/Convoy
- Locations (point and relative) can be associated with OBJECT\_ITEMs

# Objects in Motion STATUS, CAPABILITY, and ACTION

 The ability for objects to perform certain tasks is identified through the CAPABILITY entity


- OBJECT\_TYPE or OBJECT\_ITEM

oapability-id	capability- category-code	oapability- suboategory-code	oapability- day-night-oode	capability- unit-of-measure
567003	ENGINEERING- CAPABILITY	Construction time	Night	Hour
100369	FIRE-CAPABILITY	Maximum range	-	Kliometre
120457	Humanitarian aid and assistance capability	ice capability		Each
340978	Maintenance capability			Each
380233	Medical capability	Bed Count	-	Each
403134	Military load classification	Military load classification - one- way tracked	-	Each
534222	MISSION-CAPABILITY	-	-	Each
124773	MOBILITY-CAPABILITY	ABILITY Planning speed Day and		Kilometre(s) per hour
100348	MOBILITY-CAPABILITY	Maximum speed	Day	Kilometre(s) per hour
100349	MOBILITY-CAPABILITY	Maximum speed	Day	Kilometre(s) per hour
120345	Obstacle crossing capability	Maximum fording depth	Day	Metre
120346	Obstacle crossing capability	Maximum side slope angle	Day	Degree
134553	Transport capability	Sitting persons count	Day	Each
567778	Transport capability	Pallet count	-	Each
223335	Water delivery capability	Bulk liquid	_	Lifre(s) per hour

Spring 2005 SIW © 2005 VMASC/MOVES Slide 29

## Objects in Motion STATUS, CAPABILITY, and ACTION

 Objects are given potential planning, or have their activity reported on by being linked, through association, to the Action tree



#### The Action Tree

Move, Shoot, Look, Communicate

Spring 2005 SIW © 2005 VMASC/MOVES Slide 31


#### **ACTION**

- Represents activity in the model: something carries out an activity to affect something at some time
- Includes mechanisms for specifying:
  - Items or classes as resources and objectives for activity
  - Recording effects of activity
  - Classifying activities as planned tasks or unplanned events
  - Keeping status of activities
  - Relating activities to each other functionally and temporally

## Overall Structure: Actions and the Action Tree

- Actions Task and Event
- Tasks are directed actions that an Entity (Object) can undertake
- Events are actions external to perceiving Entities

#### Action Subtype Structure



Spring 2005 SIW

© 2005 VMASC/MOVES

Slide 33

## **ACTION Subtype Structure**

- ACTION-TASK: actions typically found in plans, orders, and requests
- ACTION-EVENT: an incident, phenomenon, or occasion that has occurred or is occurring but for which planning is not known
- Status entities (ACTION-TASK-STATUS and ACTION-EVENT-STATUS) allow progress of activities to be recorded
- NBC-EVENT and ACTION-EVENT-DETAIL are associated with ACTION-EVENT to handle specialized data requirements

#### **ACTION-TASK**

 Example: Planned times for ACTIONs that are part of an operational order

Label	Resource	Activity	Objective	
Action 1	52 Inf Div	Defend	Control Feature "Steel"	
Action 2	1 (US) Corps	Destroy	6 Guards Tank Division	
Action 3	1 R IRISH	Defend	Hill 126	
Action 4	2 RTR	Constitute a reserve	52 Inf Div	
Action 5	1 RHA	Move	Hameln, GE	
Action 6	3 GE Recce Bn	Secure	Route Club	

**ACTION** 

	action- task-id	***-planned- start-date	planned- start-time	***-start- qualifier-code	***- planned- end-date	***_ planned- end-time	***-end- qualifier- code
	1	19940801	120000	No later than	19940807	140000	At
	2	19940802	050000	Not before	19940802	020000	No later than
	3	19940802	020000	No later than	19940807	140000	At
	4	19940802	023000	At	19940807	140000	At
	5	19940801	100000	Not before	19940801	180000	No later than
	6	19940801	030000	At	19940801	180000	No later than
•	Note: *** stands for "action-task."						

ACTION-TASK


Spring 2005 SIW


© 2005 VMASC/MOVES

Slide 35

## **ACTION-TASK Timing**

- action-task-minimum-duration
- action-task-estimated-duration
- action-task-maximum-duration
- action-task-planned-start-date
- action-task-planned-start-time
- action-task-start-qualifier-code: after, as soon as possible, at, before, no later than, not before
- · action-task-planned-end-date
- action-task-planned-end-time
- · action-task-end-qualifier-code





## Role of Objects

- ACTION-RESOURCE: OBJECT-ITEM or OBJECT-TYPE that is required, requested, allocated, or otherwise used or planned to be used in conducting a specific ACTION
- ACTION-OBJECTIVE: OBJECT-ITEM or OBJECT-TYPE that is the focus of a specific ACTION
  - E.g., helicopters transporting troops to a landing zone
- ACTION-EFFECT: perceived effectiveness of a specific ACTION against a specific item or its type
  - A quantity if the objective is an OBJECT-TYPE
  - A fraction if the objective is an OBJECT-ITEM
  - Can include unintended effects (e.g., collateral damage)


Spring 2005 SIW © 2005 VMASC/MOVES Slide 39

#### Relating ACTIONs Functionally

- ACTION-FUNCTIONAL-ASSOCIATION
  - One ACTION being dependent on, supporting, or derived from another ACTION
    - Has a provisional sub-ACTION
    - Has as a sub-ACTION
    - In order that
    - In response to
    - Is a modification of
    - Is a prerequisite for
    - Is a template for
    - Is an alternative to
    - Uses as a reference

### Relating ACTIONs Functionally

 Complex statements, such as operations orders, can be constructed by relating simple statements in cascading hierarchies





ACTION 2 is the major action supported by ACTION 1. ACTION 1 consists of 4 ACTIONs, three that are directly subordinate to ACTION 1 and one subordinated to ACTION 5.

Spring 2005 SIW © 2005 VMASC/MOVES Slide 41

## Relating ACTIONs Temporally


- ACTION-TEMPORAL-ASSOCIATION
  - Assignment of an ACTION (i.e., ACTION-TASK) to be time-dependent for its execution on another ACTION (e.g, ACTION-TASK or ACTION-EVENT)
    - Relative: e.g., starts at the end of, starts during and ends after, starts at the same time and ends after
    - Offset: subject ACTION is to start at some specified time interval before or after a particular reference point in the object task
    - Note: Absolute start and end times are specified in the attributes of ACTION-TASK






#### **ACTION-CAPABILITY**

 For resource employment planning and for inprogress management of resources during the life of an ACTION




#### **ACTION-RESOURCE-EMPLOYMENT**

 Additional guidance in the employment of resources either in relation to a specific objective or independently of it




23



#### **ACTION-TASK-RULE-OF-ENGAGEMENT**

• List of rules, authorizing organization, and status of request (application, cancellation, authorization)




Spring 2005 SIW

24

#### **CANDIDATE-TARGET-LIST**

Links candidate targets to operations planning



Spring 2005 SIW


Spring 2005 SIW

#### ORGANISATION-ACTION-ASSOCIATION

Slide 49

Slide 50

 Identifies the kind of responsibility an ORGANISATION may have for an ACTION (initiates, plans, disseminates, oversees, etc.)



25

## **C2IEDM Application Initiatives**

Spring 2005 SIW

© 2005 VMASC/MOVES

Slide 51

#### Various C2IEDM Initiatives


- Interoperability, Data Control and Battlespace Visualization
- MOOTW FAST Toolbox Data Interchange
- Common Maneuver Network (CMN) and Mobility Common Operational Picture (M-COP)
- C4I-M&S Reference Object Model (CROM)
- Coalition Secure Management and Operations System (COSMOS)
- Autonomous Vehicle Control Language (AVCL)
- Schema and Ontology Development Efforts

Spring 2005 SIW

© 2005 VMASC/MOVES


# Scenario Authoring and Visualization for Advanced Graphical Environments

- Maj Shane Nicklaus, USMC, Scenario Authoring and Visualization for Advanced Graphical Environments (SAVAGE), Master's Thesis, September 2001 http://MovesInstitute.org/Theses/ShaneNicklaus.pdf
- "This research presents an integrated Web access and 3D visualization strategy for Department of Defense (DOD) tactical messaging and operation orders using the Generic Hub data model and the Extensible Markup Language (XML)."



# Interoperability, Data Control and Battlespace Visualization

- Capt James Neushul, USMC, Interoperability, Data Control and Battlespace Visualization Using XML, XSLT, and X3D, Master's Thesis, September 2003 http://MovesInstitute.org/Theses/NeushulThesis.pdf
- "The application of structured data methodologies using the Extensible Markup Language (XML) allows organizations and systems to exchange and process battlespace information cooperatively."




## MOOTW FAST\* Toolbox Data Interchange

 Capt Glenn Hodges, USA, Designing a Common Interchange Format for Unit Data using the Command and Control Information Exchange Data Model (C2IEDM) and XSLT, Master's Thesis, September 2003

http://www.movesinstitute.org/Theses/Hodgesthesis.pdf


 "Using a common data representation like C2IEDM coupled with the power of XML and XSLT, unit information can be transformed and interchanged between applications."

\*Flexible Asymmetric Simulation Technologies



#### Common Maneuver Network

- Common data representations across C4I systems and M&S (embedded M&S in FCS)
  - Battlespace Terrain Reasoning and Awareness (BTRA)
  - OneSAF Objective System (OOS)
- Various maneuver network representations under investigation
  - C2IEDM
  - Battle Management Language (BML)
  - Military Scenario Definition Language (MSDL)
  - Geography Markup Language (GML)



# C4I-M&S Reference Object Model (CROM)

- Goal: Standard reference for simulation interoperability and alignment with C4I
- · Alignment studies
  - Simulation representations are not aligned with tactical data models
  - Simulation community has no standard for interoperability with C4I systems
- Created initial Army C4I Object Model from C2IEDM aligned with Joint Common Data Base Data Model
  - Converted from LC2IEDM to Unified Modeling Language (UML)
  - Added JDM table entities for materiel and organization
  - Upgraded to C2IEDM v6.1 (CROM Baseline Version 1.1)
- Follow-on Work: Incorporate new and updated Battle Management Language (BML) hierarchies into CROM baseline (support BML mapping to C2IEDM)

Spring 2005 SIW © 2005 VMASC/MOVES Slide 61

#### **COSMOS ACTD**

- Coalition Secure Management and Operations System (COSMOS) Advanced Concept Technology Demonstration (ACTD), 2005-2009
  - "Enable rapid information exchange among MIP-compliant coalition C2 applications using the MIP specifications and procedures."
- Various initiatives planned:
  - C2IEDM-enabled data interchange under role-based access controls
  - C2IEDM for description of roles
  - C2IEDM for description of the network
  - C2IEDM-based tactical chat (controlled vocabulary)

# Autonomous Vehicle Control Language (AVCL)

- Autonomous Vehicle Control Language (AVCL)
  - XML language for arbitrary autonomous vehicle mission definition, inter-vehicle communication and mission-data storage
  - CDR Duane Davis, USN, PhD dissertation, in progress designing the language for compatibility with JC3IEDM
  - May be useful to Battle Management Language (BML) development in defining a control language for robotic forces
- Adapt the Battle Management Language (BML) to context of Naval operations
  - Work proposed; not yet started
  - Scenarios: Anti-Submarine Warfare (ASW), SSBN / Special Operations Forces

Spring 2005 SIW © 2005 VMASC/MOVES Slide 63

# AVCL in the Autonomous and Unmanned Vehicle (AUV) Workbench \*\*THE PROPERTY OF THE PROPERTY O

# Schema and Ontology Development Efforts


- NUWC/IDA: Physical and Logical representations of the C2IEDM in XML Schema posted to DoD Metadata Repository
- NATO M&S: Expressing an Object-Oriented representation of the C2IEDM in XML Schema
- IDA and others: Expressing C2IEDM data concepts and relationships in Web Ontology Language (OWL)
  - Future work to express business rules in OWL and Semantic Web Rule Language (SWRL)
- Domain extensions: Chemical, Biological, Radiological, and Nuclear (CBRN)


Spring 2005 SIW © 2005 VMASC/MOVES Slide 65


# What Is Battle Management Language (BML)?


- BML is the unambiguous language used to:
  - Command and control forces and equipment conducting military operations, and
  - To provide for situational awareness and a shared, common operational picture.


#### **Commander's Intent becomes Data!**














## Data Engineering

Spring 2005 SIW

© 2005 VMASC/MOVES

Slide 73

# Components of Data Engineering

#### **Data Administration**

 Managing the information exchange needs incl. source, format, context of validity, fidelity, and credibility

#### **Data Management**

 Planning, organizing and managing of data, define and standardize the meaning of data as of their relations

#### **Data Alignment**

 Ensuring that data to be exchanged exist in all participating systems

#### **Data Transformation**

 Technical process of mapping information elements to each other (often implemented in gateways and interfaces)

Spring 2005 SIW

© 2005 VMASC/MOVES


# Web-based Standards supporting Data Engineering


- XML as the common syntax and format of all components
- Data source registers data description following the idea of Universal description, discovery, and integration registries (UDDI)
- · Mapping of data will be management of tag sets
- After data management using tag set, data alignment becomes one-to-one comparison
- Data management can lead to XSLT schema for data translation


Potential for Automation of Data Administration, Data Alignment and Data Translation based on Data Management


Spring 2005 SIW


© 2005 VMASC/MOVES











## Summary

- C2IEDM (and in the future JC3IEDM) is applicable for Common Reference Model
- · Commercial tool sets available
  - Common documentation is required
  - Common configuration of solutions is the ultimate objective (configure mapping, not program it)
- More information during the workshop
  - 05S-SIW-007 Tolk/Blais
  - 05S-SIW-019 Tolk/Diallo/Dupigny/Sun/Turnitsa
  - 05S-SIW-068 Dobbs/DeMasi/Ritchie/Sudnikovich